

Your guide to perfect knitting & crochet.

The right way to avoid the wrong size

Correct tension is vital! Inaccurate tension results in a garment either too big or too small. Even a variation of half a stitch makes a difference and could result in your garment pilling or rubbing.

Make this tension check

Take the needles and yarn specified in the instructions, cast on 40 stitches and knit a square in stocking stitch. Check the tension **very accurately** by placing a tape measure or rule across the centre of your work and marking 10 centimetres with a pin at each end. Count the number of stitches between the pins. If there are more stitches try a size larger needle. If less stitches, try a size smaller needle. (You'll need to change to larger or smaller needles if other needle sizes are mentioned in the pattern, of course.)

Make no mistake.

Use what the pattern says

Please use only the yarn specified in the pattern. Yarns and plys do differ. They can cause different tension and therefore wrong size. Patons experts use their skills and know-how to create designs and patterns suitable for the yarn recommended. You could be disappointed with your garment if you make the mistake of using something 'near enough'.

Avoid colour mis-match

Buy up first rather than match up later. It's important you buy enough yarn in the first place to complete your garment. With any brand, shade variations can occur between dyelots. It's also a good idea to keep all the ball bands, to help us help you if you have an enquiry.

Don't go wrong. Start right

Before you start knitting, read through all the instructions and underline all the figures that apply to your size. We've made our patterns easy to follow, by writing all the instructions for the smallest size. Larger sizes are shown in brackets, and alternate sizes in heavier type. Where only one set of figures is given, this applies to all sizes.

Take care with finishing

Do read the suggestions on making up your garment at the end of each section. They've been written by knitters with a lot of know-how.

Avoid mistakes.

Learn the crochet & knitting abbreviations on Pages 16 & 22

Don't spoil the finished garment

Follow these foolproof steps to keep your wool and synthetic garments in perfect shape. Before washing, check for repairs. Remove unwashable buttons, and trims, close zip and turn garment inside out.

Please don't pre-soak. Forget detergents containing enzymes. Only washing powders approved by Australian Wool Corporation should be used to keep your wool garments precious. A mild detergent is perfect for synthetics.

Wash in warm water. Not hot. Powder should be fully dissolved and swirled around before you gently squeeze your garment in the suds. Don't rub.

Rinse thoroughly in warm water. Not cold. Rinse until the water comes clear. Support garments with both hands when lifting to avoid stretching.

Dry after final rinse this way: Spin dry (placing garment carefully into machine to keep in shape) or squeeze between towels to remove excess moisture. Dry naturally inside out on flat surface away from direct sunlight.

Never hang hand knits. When drying colour contrasts, don't leave contrasting areas in contact with each other when wet or damp.

NEVER tumble dry.

NEVER press synthetics. Woollens can be pressed with a warm iron and slightly damp cloth.

Tips on Crochet Tension

Before you begin, take the yarn and hook specified in our instructions and make a chain 15 cm long. Work a square in whatever stitch is named in the Tension notes of the instructions.

With pins mark out the number of stitches (or patterns) and rows quoted in the Tension notes. With tape measure or rule, measure the distance between pins and compare with the correct tension given in the instructions. If your tension is too loose and the piece measures more, try a size finer hook. If your tension is too tight and the piece measures less, try a size larger hook. If more than one hook size is recommended in the instructions and you have altered your hook to achieve the correct tension, corresponding alterations need to be made throughout the instructions.

We wish you happy knitting, crochet and hand craft. If you follow these helpful hints you'll be proud of what you make.



PATONS

You can do it!

PATONS 4 ply feathersoft 25g Ball



Machine Wash (Minimum Cycle)
Do Not Tumble Dry.



Do not iron



Do not Bleach

The baby story in 100% Bri-Nylon for easy caring long wearing hand knits in modern and traditional shades.



PATONS

patonyle

25g Ball

● Patonised for maximum resistance to shrinkage and pilling



Hand Wash Only
(Warm 40°C)
Rinse Thoroughly
Do Not Tumble Dry



Warm Dry Iron
(160°C)



Dry cleanable
in all solvents



Do not Bleach

Patons answer to baby and sock knitting. An 80% wool 20% nylon patonised yarn that is machine washable and comes in tweed and pastel colours.

1

Jacket

(FRONT COVER)

PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits underarm.....	cm	35	40	45	50
	ins	13¾	15¾	17¾	19¾
Measures	cm	37	42	47	52
	ins	14½	16½	18½	20½
Length	cm	16	18	21	24
	ins	6¼	7	8¼	9½
Sleeve seam	cm	11	12.5	15	18
	ins	4¾	5	6	7
		(or length desired)			

PATONS 4 PLY FEATHERSOFT or PATONYLE

25 g balls

	A	B	C	D
Quantity	2	3	4	4

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; 1 Stitch Holder; Milward Tapestry Needle for sewing seams; 4 Small Buttons.

TENSION — 29 sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 22. "Twist" = K3 tog, but before slipping sts off left-hand needle, purl them tog, then knit them tog again, thus having 3 sts on right hand-needle.

FIRST — Check your tension

BACK. Using 2.75 (No 12) Needles, cast on 50 (57-64-71) sts.

1st row (wrong side) — Knit.

Rep 1st row 9 times.

11th row — K5 (4-5-4), "M1", * K10 (10-9-9), "M1", rep from * 3 (4-5-6) times, knit to end ... 55 (63-71-79) sts.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows until work measures 7.5 (9-11.5-13.5) cm ... 3 (3½-4½-5½) ins ... from beg, ending with a purl row.

Shape raglan armholes — Cast off 3 sts at beg of next 2 rows.

Dec at each end of next 3 rows.

Work 1 row.

Rep last 4 rows 0 (1-2-3) time/s.

Dec at each end of next and alt rows until 19 (21-23-25) sts rem.

Work 1 row.

Cast off.

LEFT FRONT. Using 2.75 (No 12) Needles, cast on 26 (30-33-37) sts.

Work 10 rows garter st as for Back.

11th row — K4 (3-5-5), "M1", * K9 (12-8-9), "M1", rep from * 1 (1-2-2) time/s, knit to end ... 29 (33-37-41) sts.

Change to 3.25 (No 10) Needles.

1st row — K6 (8-10-12), P2, (K3, P2) 3 times, knit to end.

2nd row — P6 (8-10-12), K2, (P3, K2) 3 times, purl to end.

Rep 1st and 2nd rows once.

5th row — K6 (8-10-12), P2, ("Twist", P2) 3 times, knit to end.

6th row — As 2nd row.

These 6 rows form patt.

Cont in patt until work measures same as Back to underarm, working last row on wrong side.

Keeping patt correct, **shape raglan armhole and front slope** — **1st row** — Cast off 3 sts, patt to last 2 sts, sl1, K1, pssso.

2nd row — Patt.

Dec at armhole edge in next 2 rows.

Dec at each end of foll row.

Rep last 4 rows 0 (1-2-3) time/s.

Dec at armhole edge in foll alt rows 12 times, AT SAME TIME dec at front edge in every 3rd row 7 times ... 2 sts.

Next row — P2, turn, K2 tog.

Fasten off.

RIGHT FRONT. Work to correspond with Left Front.

SLEEVES. Using 2.75 (No 12) Needles, cast on 33 (35-37-39) sts.

Work 10 rows garter st as for Back.

11th row — K3 (4-4-5), "M1", * K9 (9-10-10), "M1", rep from * twice, knit to end ... 37 (39-41-43) sts.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows once.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) in foll alt (4th-4th-6th) rows until there are 43 (51-49-53) sts, **A, C and D only** — then in foll 4th (6th-8th) rows until there are 49 (55-57) sts.

Cont until side edge measures 11 (12.5-15-18) cm ... 4½ (5-6-7) ins ... (or length desired) from beg, ending with a purl row.

Shape raglan — Cast off 3 sts at beg of next 2 rows.

Dec at each end of next 3 rows.

Work 1 row.

Rep last 4 rows 3 (2-2-1) time/s.

Dec at each end of next and alt rows until 7 sts rem.

Work 1 row.

Cast off.

FRONT BANDS AND COLLAR. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline.

Using 2.75 (No 12) Needles, cast on 7 sts.

1st row (wrong side) — Knit.

Rep 1st row twice.

4th row — K3, y fwd, K2 tog (buttonhole), K2.

Cont in garter st, working a buttonhole (as before) in 14th (18th-22nd-26th) rows 3 times ... 4 buttonholes.

Inc at end of foll 4th rows until there are 21 (22-23-24) sts.

Work 1 row.

Working turnings — **Note** — When turning, bring yarn to front of work, slip next st on to right-hand needle, take yarn to back of work, slip st back on to left-hand needle, then turn and proceed as given in instructions. This avoids a hole in work.

1st row — K16 (17-18-19), turn.

2nd row — Knit to end.

3rd and 4th rows — Knit.


Rep rows 1 to 4 incl 19 (20-21-23) times, then 1st and 2nd rows once.

Dec at end of next and foll 4th rows until 7 sts rem.

Knit 50 (62-74-86) rows in garter st on these 7 sts.

Cast off.

MAKE UP. DO NOT PRESS. Using back-stitch, join side and sleeve seams. Sew front band in position. Sew on buttons.



Back-Stitch Seam - This is the method most commonly used for joining knitted garments. The seam should be sewn one full stitch in from the end of each row so that all seams will be even. One stitch should be worked over every row. Darn in all ends of yarn after sewing seams.

PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B
Fits underarm	cm	40	45
	ins	15¾	17¾
Measures	cm	43	48
	ins	17	19
Length	cm	18	21
	ins	7	8¼
Sleeve seam	cm	12.5	15
	ins	5	6
		(or length desired)	

PATONS 4 PLY FEATHERSOFT or PATONYLE

25 g balls

Main Colour (M)	3	3
Contrast (C)	1	1

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; 4 Stitch Holders; Milward Tapestry Needle for sewing seams; 3.00 (No 10-11) Milward Crochet Hook; 6 Small Buttons.

TENSION — 29 sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 22.

FIRST — Check your tension

BACK. Using 2.75 (No 12) Needles and M, cast on 63 (73) sts.

**** 1st row** — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 9 times. ******

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows until work measures 8 (10.5) cm ... 3¼ (4½) ins ... from beg, ending with a 2nd row.

***** Shape raglan armholes** — Cast off 3 sts at beg of next 2 rows.

3rd row — K1, sl1, K1, pssso, work to last 3 sts, K2 tog, K1.

A only — 4th row — Purl.

B only — 4th row — P1, P2 tog, work to last 3 sts, P2 tog tbl, P1.

Page 6—Book 445

5th row — As 3rd row.

6th row — Purl.

Rep rows 3 to 6 incl twice.

Both Sizes — ******* Dec (as before) at each end of next and alt rows until 21 (23) sts rem. Work 1 row.

Leave rem sts on a stitch-holder.

FRONT. Using 2.75 (No 12) Needles and M, cast on 67 (79) sts.

Work as for Back from ****** to ******, **A only** — inc once at end of last row ... 68 (79) sts.

Change to 3.25 (No 10) Needles.

1st row — K1, * K2 tog, K3, y fwd, K1, y fwd, K3, sl1, K1, pssso, rep from * to last st, K1.

2nd row — Purl.

3rd row — As 1st row.

4th row — Purl.

5th row — Knit.

6th row — Using C, knit.

7th row — Using C, purl.

8th row — Using M, purl.

Rep rows 1 to 8 incl until work measures same as Back to underarm, working last row on wrong side.

Keeping patt correct, work as for Back from ******* to *******.

Dec (as before) at each end of next and alt rows until 38 (41) sts rem. Work 1 row.

Shape neck — **Next row** — K1, sl1, K1, pssso, patt 12 (13), turn.

Dec (as before) at armhole edge in alt rows 8 times, AT SAME TIME dec at neck edge in alt rows 3 times, then in foll 4th row/s once (**twice**) ... 2 sts.

Next row — P2, turn, K2 tog. Fasten off.

Slip next 8 (9) sts on to a stitch-holder and leave.

Join yarn to rem sts and work other side to correspond.

SLEEVES. Using 2.75 (No 12) Needles and M, cast on 39 (41) sts.

Work 12 rows rib as for Back.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows once.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) at each end of foll 6th rows until there are 51 (55) sts.

Cont until side edge measures 12.5 (15) cm ... 5 (6) ins ... (or length desired) from beg, ending with a purl row.

Shape raglan — Cast off 3 sts at beg of next 2 rows.

3rd row — K1, sl1, K1, pssso, knit to last 3 sts, K2 tog, K1.

4th row — P1, P2 tog, purl to last 3 sts, P2 tog tbl, P1.

5th row — As 3rd row.

6th row — Purl.

B only — Rep rows 3 to 6 incl once.

Both Sizes — 39 (37) sts.

Dec (as before) at each end of next and alt rows until 7 sts rem. Work 1 row.

Leave sts on a stitch-holder.

BACK NECKBAND. Using back-stitch, sew sleeves to Back, noting that tops of sleeves form part of neckline.

Using 2.75 (No 12) Needles and M, beg at top of right sleeve, knit sts from stitch-holders ... 35 (37) sts.

Work 6 rows rib as for Back, beg with a 2nd row.

Cast off loosely in rib.

FRONT NECKBAND. Using 2.75 (No 12) Needles and M, knit up 31 (33) sts evenly around front neck (incl sts on stitch-holder).

Work 6 rows rib as for Back, beg with a 2nd row.

Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, sew sleeves to front leaving 7 cm ... 2¾ ins ... open from neck edge. Using 3.00 (No 10-11) Hook and M, work 1 row dc evenly around front openings, working three 3 ch buttonloops on each front edge. Using back-stitch, join side and sleeve seams. Sew on buttons.

3

Jumper

(INSIDE FRONT COVER)

PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits underarm.....	cm	35	40	45	50
	ins	13¾	15¾	17¾	19¾
Measures	cm	37	42	47	52
	ins	14½	16½	18½	20½
Length	cm	15	18	21	24
	ins	5¾	7	8¼	9½
Sleeve seam	cm	11	12.5	15	18
	ins	4¾	5	6	7
		(or length desired)			

PATONS 4 PLY FEATHERSOFT or PATONYLE

25 g balls

Quantity	2	3	3	4
----------	---	---	---	---

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; 2 Stitch Holders for Jumper with "V" Neck; 3 Stitch Holders for Jumper with Round Neck; Milward Tapestry Needle for sewing seams; 3 Buttons.

TENSION — 29 sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 22.

FIRST — Check your tension

JUMPER WITH "V" NECK.

BACK. Using 2.75 (No 12) Needles, cast on 55 (63-71-79) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 4 times.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows until work measures 6.5 (9-11.5-13.5) cm ... 2½ (3½-4½-5½) ins ... from beg, ending with a purl row.

Shape raglan armholes — Cast off 3 sts at beg of next 2 rows. **

3rd row — K1, sl1, K1, pssso, knit to last 3 sts, K2 tog, K1.

4th row — P1, P2 tog, purl to last 3 sts, P2 tog tbl, P1.

B, C and D only — **5th row** — As 3rd row.

6th row — Purl.

Rep rows 3 to 6 incl (0-1-2) time/s, then 3rd and 4th rows once.

All Sizes — 45 (47-49-51) sts. ***

Divide for back opening — **1st row** — K1, sl1, K1, pssso, K22 (23-24-25), turn.

Cont on these 24 (25-26-27) sts.

2nd row — K5, purl to end.

3rd row — K1, sl1, K1, pssso, knit to end.

Rep 2nd and 3rd rows 3 times, then 2nd row once.

11th row — K1, sl1, K1, pssso, knit to last 3 sts, y fwd, K2 tog (buttonhole), K1.

Cont dec at armhole edge (as before) in alt rows until 12 (13-14-15) sts rem, AT SAME TIME working a buttonhole (as before) in 10th row from previous buttonhole.

Work 1 row.

Leave rem sts on a stitch-holder.

Join yarn to rem sts, cast on 5 sts for underlap and work other side to correspond, omitting buttonholes.

FRONT. Work as for Back to **.

Shape "V" Neck — **3rd row** — K1, sl1, K1, pssso, K21 (25-29-33), turn.

Cont on these 23 (27-31-35) sts.

4th row — Purl to last 3 sts, P2 tog tbl, P1.

B, C and D only — **5th row** — K1, sl1, K1, pssso, knit to last 2 sts, sl1, K1, pssso.

6th row — Purl.

(continued on next page)

7th row — K1, sl1, K1, pssso, knit to end.

Rep rows 4 to 7 incl (0-1-2) time/s, then 4th row once.

All Sizes — **1st row** — K1, sl1, K1, pssso, knit to last 2 sts, sl1, K1, pssso.

2nd row — Purl.

3rd row — K1, sl1, K1, pssso, knit to end.

4th row — Purl.

Rep rows 1 to 4 incl 5 times ... 4 sts.

Next row — K1, sl1, K2 tog, pssso ... 2 sts.

Next row — P2, turn, K2 tog.

Fasten off.

Slip next st (centre st) on to a thread and leave.

Join yarn to rem sts and work other side to correspond, working "K2 tog" in place of "sl1, K1, pssso", "P2 tog" in place of "P2 tog tbl", and "K3 tog" in place of "sl1, K2 tog, pssso".

SLEEVES. Using 2.75 (No 12) Needles, cast on 37 (39-41-43) sts.

Work 10 rows rib as for Back.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows once.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) in foll alt (4th-4th-6th) rows until there are 43 (51-51-53) sts, **A, C and D only** — then in foll 4th (6th-8th) rows until there are 49 (55-57) sts.

Cont until side edge measures 11 (12.5-15-18) cm ... 4¾ (5-6-7) ins ... (or length desired) from beg, ending with a purl row.

Shape raglan — Cast off 3 sts at beg of next 2 rows.

3rd row — K1, sl1, K1, pssso, knit to last 3 sts, K2 tog, K1.

4th row — P1, P2 tog, purl to last 3 sts, P2 tog tbl, P1.

5th row — As 3rd row.

6th row — Purl.

Rep rows 3 to 6 incl 3 (2-2-1) time/s.

Dec (as in 3rd row) in next and alt rows until 7 sts rem.

Work 1 row.

Cast off.

NECKBAND. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. With right side facing and using 2.75 (No 12) Needles, knit sts from left back stitch-holder, knit up 34 (37-40-43) sts evenly across left sleeve and along left side of neck, knit st from thread (centre st), knit up 34 (37-40-43) sts evenly along right side of neck and across right sleeve, then knit sts from right back stitch-holder ... 93 (101-109-117) sts.

1st row — K6, * P1, K1, rep from * to last 5 sts, K5.

2nd row — K5, rib to within 2 sts of centre st, y bk, sl1, K1, pssso, K1 (centre st), K2 tog, rib to last 5 sts, K5.

3rd row — K5, rib to within 2 sts of centre st, K2 tog, P1, K2 tog tbl, rib to last 5 sts, K5.

Rep 2nd and 3rd rows twice, working a buttonhole (as before) in next row.

Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join side and sleeve seams. Sew underlap in position. Sew on buttons.

JUMPER WITH ROUND NECK.

BACK. Work as for Jumper with "V" Neck.

FRONT. Work as for Back to ***.

Dec (as before) at each end of next and alt rows until 35 (37-41-43) sts rem.

Work 1 row.

Divide for neck — **1st row** — K1, sl1, K1, pssso, K11 (11-13-13), turn.

Cont on these 13 (13-15-15) sts.

2nd row — Purl.

3rd row — K1, sl1, K1, pssso, knit to last 2 sts, sl1, K1, pssso.

Rep 2nd and 3rd rows 3 (3-4-4) times.

Dec (as before) at armhole edge in alt rows until 3 sts rem.

Next row — P3.

Next row — K1, sl1, K1, pssso.

Next row — P2, turn, K2 tog.

Fasten off.

Slip next 7 (9-9-11) sts on to stitch-holder and leave.

Join yarn to rem sts and work other side to correspond, working "K2 tog" in place of "sl1, K1, pssso".

SLEEVES. Work as for Jumper with "V" Neck.

NECKBAND. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. With right side facing and using 2.75 (No 12) Needles, knit up 73 (77-83-87) sts evenly around neck, incl sts from stitch-holders.

1st row — K5, * P1, K1, rep from * to last 4 sts, K4.

2nd row — K6, * P1, K1, rep from * to last 5 sts, K5.

Rep 1st and 2nd rows twice, then 1st row once, working a buttonhole (as before) in 2nd row.

Cast off in rib.

MAKE UP. As for Jumper with "V" Neck.

Make this tension check.

Take the needles and yarn specified in the instructions, cast on 40 sts and knit a square in stocking stitch. Check the tension **very accurately** by placing a tape measure or rule across the centre of your work and marking 10 centimetres with a pin at each end. Count the number of stitches between the pins.

If you have too many stitches between the pins your tension is too firm — try a size larger needle. If you have too few stitches between the pins your tension is too loose — try a size smaller needle.

If you need to change your needle size to obtain the correct tension in stocking stitch, you must also make corresponding alterations. (i.e. larger or smaller needles) to all needle sizes mentioned in the instructions. It should be noted that even if the needle size needs to be changed to achieve the correct tension, it will make no difference to the length of time required to complete your garment, as you will be working with the same number of stitches.

PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits underarm.....	cm	35	40	45	50
	ins	13¾	15¾	17¾	19¾
Measures	cm	37	42	47	52
	ins	14½	16½	18½	20½
Length	cm	15	18	21	24
	ins	5¾	7	8¼	9½
Sleeve seam	cm	11	12.5	15	18
	ins	4¾	5	6	7
		(or length desired)			

PATONS 4 PLY FEATHERSOFT or PATONYLE

25 g balls

Quantity	2	3	4	4
----------	---	---	---	---

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; 3 Stitch Holders; Milward Tapestry Needle for sewing seams; 3 Small Buttons.

TENSION — 29 sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 22.

FIRST — Check your tension

BACK. Using 2.75 (No 12) Needles, cast on 55 (63-71-79) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 5 times.

Change to 3.25 (No 10) Needles.

1st row — * K2 tog, y fwd, rep from * to last st, K1.

2nd and alt rows — Purl.

3rd row — Knit.

5th row — As 1st row.

Rep 2nd and 3rd rows until work measures 6.5 (9-11.5-14) cm ... 2½ (3½-4½-5½) ins ... from beg, ending with a purl row.

Shape raglan armholes — Cast off 3 sts at beg of next 2 rows.

3rd row — K1, K2 tog, y fwd, K2 tog, knit to last 5 sts, sl1, K1, pssso, y fwd, sl1, K1, pssso, K1.

A only — **4th row** — K1, purl to last st, K1.

B, C and D only — **4th row** — K1, P2, P2 tog tbl, purl to last 5 sts, P2 tog, P2, K1.

5th row — As 3rd row.

6th row — K1, purl to last st, K1.

Rep rows 3 to 6 incl (0-1-2) time/s, then 5th and 6th rows once.

All Sizes — 47 (49-51-53) sts.

Divide for back opening — **1st row** — K1, K2 tog, y fwd, K2 tog, K21 (22-23-24), turn.

Cont on these 25 (26-27-28) sts.

2nd row — K5, purl to last st, K1.

3rd row — K1, K2 tog, y fwd, K2 tog, knit to end.

Rep 2nd and 3rd rows 3 times, then 2nd row once.

11th row — K1, K2 tog, y fwd, K2 tog, knit to last 3 sts, y fwd, K2 tog (buttonhole), K1.

Cont dec at armhole edge (as before) in alt rows until 13 (14-15-16) sts rem, AT SAME TIME working buttonhole (as before) in 10th row from previous buttonhole.

Work 1 row.

Leave rem sts on a stitch-holder.

Join yarn to rem sts, cast on 5 sts for underlap and work to correspond with other side, omitting buttonholes.

FRONT. Work as for Back until there are 10 rows less than Back to underarm, ending with a purl row.

Work eyelet heart — **1st row** — K26 (30-34-38), K2 tog, y fwd, knit to end.

2nd, 4th, 6th and 8th rows — Purl.

3rd row — K25 (29-33-37), K2 tog, y fwd, K1, y fwd, sl1, K1, pssso, knit to end.

5th row — K24 (28-32-36), K2 tog, y fwd, K3, y fwd, sl1, K1, pssso, knit to end.

7th row — K23 (27-31-35), K2 tog, y fwd, K5, y fwd, sl1, K1, pssso, knit to end.

9th row — K22 (26-30-34), K2 tog, y fwd, K7, y fwd, sl1, K1, pssso, knit to end.

10th row — Purl.

Shape raglan armholes — **11th row** — Cast off 3 sts, K18 (22-26-30), K2 tog, y fwd, K9, y fwd, sl1, K1, pssso, knit to end.

12th row — Cast off 3 sts, purl to end.

13th row — K1, K2 tog, y fwd, K2 tog, K13 (17-21-25), K2 tog, y fwd, K9, y fwd, sl1, K1, pssso, K13 (17-21-25), sl1, K1, pssso, y fwd, sl1, K1, pssso, K1.

A only — **14th row** — K1, purl to last st, K1.

B, C and D only — **14th row** — K1, P2, P2 tog tbl, purl to last 5 sts, P2 tog, P2, K1.

All Sizes — **15th row** — K1, K2 tog, y fwd, K2 tog, K12 (15-19-23), K2 tog, y fwd, K3, K2 tog, y fwd, K4, y fwd, sl1, K1, pssso, K12 (15-19-23), sl1, K1, pssso, y fwd, sl1, K1, pssso, K1.

(continued on next page)

16th row — K1, purl to last st, K1.

17th row — K1, K2 tog, y fwd, K2 tog, K12 (15-19-23), K2 tog, y fwd, K1, y fwd, sl1, K1, pssso, K12 (15-19-23), sl1, K1, pssso, y fwd, sl1, K1, pssso, K1.

A and B only — **18th row** — K1, purl to last st, K1.

C and D only — **18th row** — K1, P2, P2 tog tbl, purl to last 5 sts, P2 tog, P2, K1.

All Sizes — **19th row** — K1, K2 tog, y fwd, K2 tog, knit to last 5 sts, sl1, K1, pssso, y fwd, sl1, K1, pssso, K1.

20th row — K1, purl to last st, K1.

D only — **Next row** — As 19th row.

Rep rows 18 to 20 incl once.

All Sizes — Rep 19th and 20th rows until 37 (39-45-47) sts rem. Work 1 row.

Shape neck — **Next row** — K1, K2 tog, y fwd, K2 tog, K9 (9-12-12), turn.

Cont on these sts, dec at armhole edge (as before) in alt rows 5 (5-7-7) times, AT SAME TIME dec at neck edge in alt rows 4 (4-5-5) times ... 4 sts.

Work 1 row.

Next row — K1, K2 tog, K1.

Work 1 row.

Next row — K1, K2 tog.

Next row — P1, K1, turn, K2 tog.

Fasten off.

Slip next 9 (11-11-13) sts on to a stitch-holder and leave.

Join yarn to rem sts and work other side to correspond.

SLEEVES. Using 2.75 (No 12) Needles, cast on 39 (39-41-43) sts.

Work 12 rows rib as for Back.

Change to 3.25 (No 10) Needles.

1st row — * K2 tog, y fwd, rep from * to last st, K1.

2nd and 4th rows — Purl.

3rd row — K2, "M1", knit to last 2 sts, "M1", K2.

5th row — K1, * K2 tog, y fwd, rep from * to last 2 sts, K2.

6th row — Purl.

Cont in stocking st, inc (as before) in next (next-next-3rd) row and foll 4th (4th-4th-6th) rows until there are 49 (49-49-51) sts, **B, C and D only** — then in foll (6th-6th-8th) rows until there are (51-55-57) sts.

Cont until side edge measures 11 (12.5-15-18) cm ... 4¾ (5-6-7) ins ... (or length desired) from beg, ending with a purl row.

Shape raglan — Cast off 3 sts at beg of next 2 rows.

3rd row — K1, K2 tog, y fwd, K2 tog, knit to last 5 sts, sl1, K1, pssso, y fwd, sl1, K1, pssso, K1.

4th row — K1, P2, P2 tog tbl, purl to last 5 sts, P2 tog, P2, K1.

5th row — As 3rd row.

6th row — K1, purl to last st, K1.

Rep rows 3 to 6 incl 3 (2-2-1) time/s, then rep 5th and 6th rows until 9 sts rem. Work 1 row.

Next row — K1, K2 tog, y fwd, sl1, K2 tog, pssso, y fwd, sl1, K1, pssso, K1.

Work 1 row. Cast off.

NECKBAND. Using a flat seam, join raglan seams, noting that tops of sleeves form part of neckline. With right side facing and using 2.75 (No 12) Needles, knit up 79 (83-89-93) sts evenly around neck, incl sts from stitch-holders.

1st row — K5, * P1, K1, rep from * to last 4 sts, K4.

2nd row — K6, * P1, K1, rep from * to last 5 sts, K5.

Rep 1st and 2nd rows 3 times, working a buttonhole (as before) in 2nd row. Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join side and sleeve seams. Sew underlap in position. Sew on buttons.

5

Cardigan

(INSIDE BACK COVER)

PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits underarm.....	cm	35	40	45	50
	ins	13¾	15¾	17¾	19¾
Measures (approx)	cm	37	42	47	52
	ins	14½	16½	18½	20½
Length	cm	17	20	23	26
	ins	6¾	7¾	9	10¾
Sleeve seam	cm	11	12.5	15	18
	ins	4¾	5	6	7
		(or length desired)			

PATONS 4 PLY FEATHERSOFT or PATONYLE 25 g balls

Page 10—Book 445

Quantity	A	B	C	D
	2	3	4	4

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; A Cable Needle; A Stitch Holder; Milward Tapestry Needle for sewing seams; 6 (6-8-8) Small Buttons.

TENSION — 29 sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 22. "Cable 5" = Slip next 4 sts on to cable needle, hold at back of work, K1, then slip the last 3 sts on cable needle back on to left-hand needle, bring cable needle (holding 1 st) to front between needles, knit the 3 sts from left-hand needle, then knit st from cable needle.

FIRST — Check your tension

CARDIGAN (Worked in one piece to underarm). Using 2.75 (No 12) Needles, cast on 107 (121-135-149) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 4 times, then 1st row once.

Change to 3.25 (No 10) Needles.

1st row (wrong side) — K2, * P5, K2, rep from * to end.

2nd row — P2, * "Cable 5", P2, rep from * to end.

3rd row — As 1st row.

4th row — P2, * K5, P2, rep from * to end.

5th row — As 1st row.

6th row — As 4th row.

Rep rows 1 to 6 incl once, then 1st and 2nd rows once.

15th row — P7 (14-14-14), K2, P5, K2, purl to last 16 (23-23-23) sts, K2, P5, K2, purl to end.

16th row — K7 (14-14-14), P2, K5, P2, knit to last 16 (23-23-23) sts, P2, K5, P2, knit to end.

Rep 15th and 16th rows once, then 15th row once.

Next row — K7 (14-14-14), P2, "Cable 5", P2, knit to last 16 (23-23-23) sts, P2, "Cable 5", P2, knit to end.

Keeping patt panels correct, cont until work measures 7.5 (10-12.5-14) cm ... 3 (4-5-5½) ins ... from beg, working last row on wrong side.

Divide for armholes — **Next row** — Patt 25 (28-32-35), cast off 4 sts, K49 (57-63-71), cast off 4 sts, patt to end.

LEFT FRONT. Cont on last 25 (28-32-35) sts.

1st row — Patt to last 2 sts, P2.

2nd row — K1, sl1, K1, psso, patt to end.

A and B only — Work 3 rows.

Rep last 4 rows 2 (0) times.

C and D only — **3rd row** — Patt to last 3 sts, P2 tog tbl, P1.

4th row — As 2nd row.

5th row — Patt to last 2 sts, P2.

Rep rows 2 to 5 incl (0-1) time/s.

All Sizes ... 22 (27-29-29) sts.

Dec (as before) at beg of next and alt rows until 18 (18-19-20) sts rem.

Shape neck — Cast off 6 sts at beg of next row.

2nd row — K1, sl1, K1, psso, patt to last 2 sts, sl1, K1, psso.

3rd row — Patt.

Rep 2nd and 3rd rows 2 (2-3-3) times.

Dec at beg of next and alt rows until 2 sts rem.

Next row — P2, turn, K2 tog.

Fasten off.

BACK. Join yarn to next 49 (57-63-71) sts.

1st row — Purl.

2nd row — K1, sl1, K1, psso, knit to last 3 sts, K2 tog, K1.

A and B only — Work 3 rows.

Rep last 4 rows 2 (0) times.

C and D only — **3rd row** — P1, P2 tog, purl to last 3 sts, P2 tog tbl, P1.

4th row — As 2nd row.

5th row — Purl.

Rep rows 2 to 5 incl (0-1) time/s.

All Sizes ... 43 (55-57-59) sts.

Dec (as before) at each end of next and alt rows until 21 (23-23-25) sts rem.

Work 1 row.

Cast off.

RIGHT FRONT. Join yarn to rem 25 (28-32-35) sts and work to correspond with Left Front, working "K2 tog" in place of "sl1, K1, psso" and "P2 tog" in place of "P2 tog tbl".

SLEEVES. Using 2.75 (No 12) Needles, cast on 37 (37-39-41) sts.

Work 10 rows rib as for Cardigan.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows once.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) in foll 4th (4th-6th-8th) rows until there are 43 (45-53-55) sts, **A and B only** — then in foll 6th rows until there are 47 (49) sts.

Cont until side edge measures 11 (12.5-15-18) cm ... 4½ (5-6-7) ins ... (or length desired) from beg, ending with a purl row.

Shape raglan — Cast off 3 sts at beg of next 2 rows.

3rd row — K1, sl1, K1, psso, knit to last 3 sts, K2 tog, K1.

A, B and D only — **4th row** — Purl.

C only — **4th row** — P1, P2 tog, purl to last 3 sts, P2 tog tbl, P1.

5th row — As 3rd row.

6th row — Purl.

All Sizes — Dec (as before) in next and alt rows until 7 sts rem.

Work 1 row.

Cast off.

LEFT FRONT BAND. Using 2.75 (No 12) Needles, cast on 9 sts.

1st row — K2, (P1, K1) 3 times, K1.

2nd row — K1, (P1, K1) 4 times, **

Rep 1st and 2nd rows 23 (29-40-40) times.

Break off yarn and leave sts on stitch-holder.

RIGHT FRONT BAND. Work as for Left Front Band to **.

3rd row — K2, P1, K1, y fwd, K2 tog (buttonhole), P1, K2.

Cont in rib, working a buttonhole (as before) in foll 10th (12th-12th-12th) rows 4 (4-6-6) times ... 5 (5-7-7) buttonholes.

Work 5 (7-7-7) rows rib.

Leave sts on needle, do not break off yarn.

NECKBAND. Using back-stitch, join sleeve and raglan seams, noting that tops of sleeves form part of neckline and sew on front bands. With right side facing, using 2.75 (No 12) Needle holding right front band sts, knit up 73 (75-77-79) sts evenly around neck, rib across left front band sts ... 91 (93-95-97) sts.

Work 6 rows rib as for Cardigan, beg with a 2nd row and working a buttonhole (as before) in 4th row.

Cast off in rib.

MAKE UP. DO NOT PRESS. Sew on buttons.

PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits underarm.....	cm	35	40	45	50
	ins	13¾	15¾	17¾	19¾
Jumper					
Measures	cm	36	41	46	51
(slightly stretched)	ins	14	16	18	20
Length	cm	15	18	21	24
	ins	6	7	8¼	9½
Sleeve seam.....	cm	11	12.5	15	18
	ins	4¾	5	6	7
Cardigan					
Measures	cm	38	43	48	53
(slightly stretched)	ins	15	17	19	20¾
Length	cm	17	20	23	26
	ins	6¾	7¾	9	10¼
Sleeve seam	cm	11	12.5	15	18
	ins	4¾	5	6	7

PATONS 4 PLY FEATHERSOFT or PATONYLE

25 g balls

Jumper	2	3	3	4
Cardigan	3	3	4	4

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; A Cable Needle; 3 Stitch Holders; Milward Tapestry Needle for sewing seams; 3 Buttons for **Jumper**; 4 Buttons for **Cardigan**.

TENSION — 29 sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 22. "Twist" = Slip next 2 sts on to cable needle and leave at back of work, K1, then K2 from cable needle.

FIRST — Check your tension**JUMPER.**

BACK. Using 2.75 (No 12) Needles, cast on 59 (67-75-83) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end. **

Rep 1st and 2nd rows 6 times, dec in middle of last row ... 58 (66-74-82) sts.

Change to 3.25 (No 10) Needles.

1st row — K2, * P2, K2, rep from * to end.

2nd row — P2, * K2, P2, rep from * to end.

Rep 1st and 2nd rows until work measures 6.5 (9-11.5-13.5) cm ... 2½ (3½-4½-5½) ins ... from beg, ending with a 2nd row.

Keeping patt correct, **shape raglan armholes and divide for back opening** — 1st and 2nd rows — Cast off 2 sts, work to end.

3rd row — K1, sl1, K1, pssso, rib 26 (30-34-38), turn.

4th row — K4, rib to last 2 sts, P2. **Note** — Keep garter st border correct.

A and B only — 5th row — K2, rib to last 4 sts, K4.

6th row — As 4th row.

A only — Rep rows 3 to 6 incl once, then 3rd and 4th rows once.

Next row — K2, rib to last 4 sts, K1, y fwd, K2 tog (buttonhole), K1.

Next row — As 4th row.

B, C and D only — Dec (as before) in next and alt rows (4-4-5) times in all ... (28-32-35) sts.

Work 1 row.

Next row — K1, sl1, K1, pssso, rib to last 4 sts, K1, y fwd, K2 tog (buttonhole), K1.

Work 1 row.

All Sizes — Dec (as before) in next and alt rows 12 (12-14-12) times in all, working a buttonhole (as before) in 14th (14th-16th-16th) row from previous buttonhole ... 14 (15-17-22) sts.

A and B only — Work 1 row.

C and D only — **Next row** — K4, rib to last 3 sts, P2 tog tbl, P1 ... (16-21) sts.

D only — Dec (as before) in every row until 17 sts rem.

All Sizes — Break off yarn and leave sts on a stitch-holder.

Join yarn to rem sts, cast on 4 sts for underlap and work other side to correspond, working "K2 tog" in place of "sl1, K1, pssso" and "P2 tog" in place of "P2 tog tbl" and omitting buttonholes.

FRONT. Work as for Back to **.

Rep 1st and 2nd rows 6 times.

Change to 3.25 (No 10) Needles.

1st row — (K2, P2) 7 (8-9-10) times, K3, (P2, K2) 7 (8-9-10) times.

2nd row — (P2, K2) 7 (8-9-10) times, P3, (K2, P2) 7 (8-9-10) times.

3rd row — (K2, P2) 7 (8-9-10) times, "Twist", (P2, K2) 7 (8-9-10) times.

4th row — As 2nd row.

Rep rows 1 to 4 incl until work measures same as Back to underarm, working last row on wrong side.

Keeping patt correct, **shape raglan armholes** — 1st and 2nd rows — Cast off 2 sts, patt to end.

3rd row — K1, sl1, K1, pssso, patt to last 3 sts, K2 tog, K1.

4th row — P2, patt to last 2 sts, P2.

A and B only — 5th row — K2, patt to last 2 sts, K2.

6th row — As 4th row.

A only — Rep rows 3 to 6 incl twice ... 49 sts.

All Sizes — Dec (as before) in next and alt rows 3 (8-10-10) times in all ... 43 (45-49-57) sts.

Work 1 row.

Shape neck — **1st row** — K1, sl1, K1, pssso, rib 14 (14-16-19), turn.

Dec (at armhole edge as before) at each end of alt rows 6 (6-7-7) times ... 4 (4-4-7) sts.

A, B and C only — Dec (as before) at armhole edge in foll alt row ... 3 sts.

A and B only — **Next row** — P3.

Next row — K1, sl1, K1, pssso.

Next row — P2, turn, K2 tog. Fasten off.

C only — **Next row** — P2 tog tbl, P1, turn, K2 tog. Fasten off.

D only — **Next row** — Rib to last 3 sts, P2 tog tbl, P1.

Dec (as before) in every row until 2 sts rem.

K2 tog. Fasten off.

All Sizes — Slip next 9 (11-11-13) sts on to stitch-holder and leave.

Join yarn to rem sts and work other side to correspond, working "K2 tog" in place of "sl1, K1, pssso" and "P2 tog" in place of "P2 tog tbl".

SLEEVES. Using 2.75 (No 12) Needles, cast on 43 (43-47-47) sts.

Work 10 rows rib as for Back, dec in middle of last row ... 42 (42-46-46) sts.

Change to 3.25 (No 10) Needles.

1st row — K2, * P2, K2, rep from * to end.

2nd row — P2, * K2, P2, rep from * to end.

Cont in rib, inc at each end of 3rd and foll 8th (6th-8th-6th) rows until there are 50 (54-58-62) sts.

Cont until side edge measures 11 (12.5-15-18) cm ... 4% (5-6-7) ins ... from beg, working last row on wrong side.

Keeping patt correct, **shape raglan** — **1st and 2nd rows** — Cast off 2 sts, rib to end.

3rd row — K1, sl1, K1, pssso, rib to last 3 sts, K2 tog, K1.

4th row — P2, rib to last 2 sts, P2.

Dec (as before) in next and alt rows until 10 (14-18-22) sts rem.

Next row — P1, P2 tog, rib to last 3 sts, P2 tog tbl, P1.

B, C and D only — Dec (as before) in every row until 8 sts rem. Cast off.

A only — Work 1 row.

Cast off.

NECKBAND. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. With right side facing, using 2.75 (No 12) Needles, knit up 77 (81-83-89) sts evenly around neck, incl sts from stitch-holders.

1st row — K4, * P1, K1, rep from * to last 3 sts, K3.

2nd row — K5, * P1, K1, rep from * to last 4 sts, K4.

Rep 1st and 2nd rows once, then 1st row once, working a buttonhole (as before) in 14th (14th-16th-16th) row from previous buttonhole.

Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join side and sleeve seams. Catch underlap in position. Sew on buttons.

CARDIGAN (worked in one piece to underarm). Using 2.75 (No 12) Needles, cast on 123 (139-155-171) sts.

Work 14 rows rib as for Back of Jumper, dec in middle of last row ... 122 (138-154-170) sts.

Change to 3.25 (No 10) Needles.

1st row — P3, K3, P2, * K2, P2, rep from * to last 6 sts, K3, P3.

2nd row — K3, P3, K2, * P2, K2, rep from * to last 6 sts, P3, K3.

3rd row — P3, "Twist", P2, * K2, P2, rep from * to last 6 sts, "Twist", P3.

4th row — As 2nd row.

Rep rows 1 to 4 incl until work measures 7.5 (10-12.5-14.5) cm ... 3 (4-5-5½) ins ... from beg, working last row on wrong side.

Keeping patt correct, **divide for Fronts and Back** — **1st row** — Patt 28 (32-36-40), cast off 4 sts, patt 58 (66-74-82), cast off 4 sts, patt to end.

Cont on last 28 (32-36-40) sts for Left Front.

Work 1 row.

3rd row — K1, sl1, K1, pssso, patt to last 2 sts, work 2 tog.

4th row — Patt to last 2 sts, P2.

A and B only — **5th row** — K2, patt to end.

6th row — As 4th row.

A only — Rep rows 3 to 6 incl twice ... 22 sts.

All Sizes — Dec at armhole edge (as before) in next and alt rows 12 (17-20-21) times in all, AT SAME TIME dec at front edge in foll 4th rows from previous dec 6 (8-9-10) times, then in alt row/s 1 (2-2-1) time/s ... 3 (3-3-6) sts.

A and B only — **Next row** — P3.

Next row — K1, sl1, K1, pssso.

Next row — P2, turn, K2 tog. Fasten off.

C only — **Next row** — P2 tog tbl, P1, turn, K2 tog. Fasten off.

D only — **Next row** — Patt 3, P2 tog tbl, P1.

Next row — K1, sl1, K1, pssso, work 2 tog.

Next row — P2 tog tbl, P1, turn, K2 tog. Fasten off.

All Sizes — Join yarn to next 58 (66-74-82) sts for Back.

Work 1 row.

3rd row — K1, sl1, K1, pssso, patt to last 3 sts, K2 tog, K1.

4th row — P2, patt to last 2 sts, P2.

A and B only — **5th row** — K2, patt to last 2 sts, K2.

6th row — As 4th row.

A only — Rep rows 3 to 6 incl twice ... 52 sts.

All Sizes — Rep 3rd and 4th rows until 26 (28-32-38) sts rem.

A and B only — **Next row** — As 4th row.

C and D only — **Next row** — P1, P2 tog, patt to last 3 sts, P2 tog tbl, P1 ... (30-36) sts.

D only — Dec (as before) in every row until 32 sts rem.

All Sizes — Cast off.

Join yarn to rem 28 (32-36-40) sts and work Right Front to correspond with Left Front, working "K2 tog" in place of "sl1, K1, pssso" and "P2 tog" in place of "P2 tog tbl".

SLEEVES. Using 2.75 (No 12) Needles, cast on 47 (47-51-51) sts.

Work 10 rows rib as for Back of Jumper, dec in middle of last row ... 46 (46-50-50) sts.

Change to 3.25 (No 10) Needles. (continued on next page

1st row — K2, * P2, K2, rep from * to end.

2nd row — P2, * K2, P2, rep from * to end.

Cont in rib, inc at each end of 3rd and foll 8th (6th-8th-6th) rows until there are 54 (58-62-66) sts.

Cont until side edge measures 11 (12.5-15-18) cm ... 4½ (5-6-7) ins ... from beg, working last row on wrong side.

Keeping patt correct, **shape raglan** — **1st and 2nd rows** — Cast off 3 sts, patt to end.

3rd row — K1, sl1, K1, pssso, patt to last 3 sts, K2 tog, K1.

4th row — P2, patt to last 2 sts, P2.

Rep 3rd and 4th rows until 10 (14-18-18) sts rem.

Next row — P1, P2 tog, patt to last 3 sts, P2 tog tbl, P1.

B, C and D only — Dec (as before) in every row until 8 sts rem.

A only — Work 1 row.

All Sizes — Cast off.

FRONT BAND. Using 2.75 (No 12) Needles, cast on 9 sts.

1st row — K2, (P1, K1) 3 times, K1.

2nd row — K1, (P1, K1) 4 times.

**** 3rd row** — Rib 4, cast off 2 sts, rib 3.

4th row — Rib 3, cast on 2 sts, rib 4.

Rep 1st and 2nd rows 4 (5-6-7) times. ******

Rep from ****** to ****** 3 times ... 4 buttonholes.

Cont in rib until band is length required to fit (slightly stretched) along fronts, across tops of sleeves and back of neck. Cast off in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join sleeve seams, then join raglan seams and sew front band in position.

7

Crocheted Smock and Hat

(INSIDE BACK COVER)

PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits underarm.....	cm	35	40	45	50
	ins	13¾	15¾	17¾	19¾
Measures	cm	50	54	60	64
	ins	19¾	21¼	23½	25
Length (approx)	cm	22	24	27	29
	ins	8¾	9½	10½	11½
Sleeve seam (approx)	cm	11	12.5	15	18
	ins	4¾	5	6	7

PATONS 4 PLY FEATHERSOFT or PATONYLE

25 g balls

Smock	4	5	7	8
Hat	2	2	2	2

The quantities of yarn stated are based on average requirements and are therefore approximate.

3.00 (No 10-11) Milward Crochet Hook; Milward Tapestry Needle for sewing seams.

TENSION — 4 patts to 10 cm (approx 4 ins) in width and 12 rows to 10 cm (approx 4 ins) in depth over patt.

ABBREVIATIONS — See page 16. St = Any stitch; "Tr B" = Work 1 tr around back of next tr inserting hook from back to front, then front to back around bar of tr; "Tr F" = Work 1 tr around front of next tr, inserting hook from front to back then back to front around bar of tr; "Inc" = 2 tr in next tr; "Shell" = (1 tr, 1 ch, 1 tr) in space between last and next tr.

FIRST — Check your tension

SMOCK.

YOKE (Beg at neck). Using 3.00 (No 10-11) Hook, make 65 ch.

1st row — Miss 3 ch, 1 tr in next ch, * 1 ch, miss 1 ch, 1 tr in next ch, rep from * to last ch, 1 tr in last ch ... 63 sts.

2nd row — (1 dc, 1 ch) in first tr, * "Tr B", 2 tr in 1 ch sp, rep from * to last 2 sts, "Tr B", 1 tr in top of turning ch ... 93 sts.

3rd row — (1 dc, 1 ch) in first tr, "Tr F", * 1 tr in each of next 2 tr, "Tr F", rep from * to turning ch, 1 tr in top of turning ch.

4th row — (1 dc, 1 ch) in first tr, "Tr B", * 1 tr in each of next 2 tr, "Tr B", rep from * to turning ch, 1 tr in top of turning ch.

5th row — As 3rd row.

6th row — (1 dc, 1 ch) in first tr, "Tr B", * "Inc", 1 tr in next tr, "Tr B", rep from * to turning ch, 1 tr in top of turning ch ... 123 sts.

7th row — (1 dc, 1 ch) in first tr, "Tr F", * 1 tr in each of next 3 tr, "Tr F", rep from * to turning ch, 1 tr in top of turning ch.

8th row — (1 dc, 1 ch) in first tr, "Tr B", * 1 tr in each of next 3 tr, "Tr B", rep from * to turning ch, 1 tr in top of turning ch.

9th row — As 7th row.

B only — **10th row** — As 8th row.

C and D only — **10th row** — (1 dc, 1 ch) in first tr, "Tr B", * 1 tr in next tr, "Inc", 1 tr in next tr, "Tr B", rep from * to turning ch, 1 tr in top of turning ch ... 153 sts.

11th row — (1 dc, 1 ch) in first tr, "Tr F", * 1 tr in each of next 4 tr, "Tr F", rep from * to turning ch, 1 tr in top of turning ch.

D only — **12th row** — (1 dc, 1 ch) in first tr, "Tr B", * 1 tr in each of next 4 tr, "Tr B", rep from * to turning ch, 1 tr in top of turning ch.

All Sizes — Fasten off.

BACK SKIRT. Using 3.00 (No 10-11) Hook, make 48 (53-58-63) ch.

1st row — Miss 1 ch, 1 dc in each ch to end ... 47 (52-57-62) dc.

**** 2nd row** — (1 dc, 1 ch) in first dc, 1 tr in next dc, * miss 1 dc, (3 tr, 1 ch, 3 tr) in next dc, miss 1 dc, 1 tr in each of next 2 dc, rep from * to end.

3rd row — (1 dc, 2 ch, 1 tr) in first tr, * 1 ch, "Tr B", 1 dc in next 1 ch sp, miss 3 tr, "Tr B", 1 ch, "Shell", rep from * to end, working last shell in top of turning ch.

4th row — (1 dc, 1 ch) in first tr, * (2 tr, 3 ch, 2 tr) in 1 ch sp, miss 2 sts, ("Tr F") twice, miss 2 sts, rep from * to turning ch loop, (2 tr, 3 ch, 2 tr) in loop, 1 tr in 2nd ch of loop.

5th row — (1 dc, 1 ch, 1 tr) in first tr, * (3 tr, 1 ch, 3 tr) in next 3 ch loop, miss 2 tr, ("Tr B") twice, rep from * to last 3 ch loop, (3 tr, 1 ch, 3 tr) in 3 ch loop, miss 2 tr, 2 tr in top of turning ch.

6th row — (1 dc, 1 ch, 1 tr) in first tr, 1 ch, "Tr F", * 1 dc in next 1 ch sp, miss 3 tr, "Tr F", 1 ch, "Shell", 1 ch, "Tr F", rep from * to last 1 ch sp, 1 dc in 1 ch sp, miss 3 tr, "Tr F", 1 ch, 2 tr in top of turning ch.

7th row — (1 dc, 1 ch, 1 tr, 3 ch, 2 tr) in first tr, * miss 1 tr, ("Tr B") twice, miss 2 sts, (2 tr, 3 ch, 2 tr) in next 1 ch sp, rep from * to end, working last (2 tr, 3 ch, 2 tr) in top of turning ch.

8th row — (1 dc, 2 ch) in first tr, "Tr F", * (3 tr, 1 ch, 3 tr) in next 3 ch loop, miss 2 tr, ("Tr F") twice, rep from * to last 3 ch loop, (3 tr, 1 ch, 3 tr) in 3 ch loop, "Tr F", 1 tr in top of turning ch.

Tie a coloured thread at each end of last row to mark end of armhole.

9th row — As 3rd row.

10th row — (1 dc, 1 ch) in first tr, 1 ch, 2 tr in 1 ch sp, miss 2 sts, ("Tr F") twice, miss 2 sts, * (2 tr, 3 ch, 2 tr) in next 1 ch sp, miss 2 sts, ("Tr F") twice, miss 2 sts, rep from * to turning ch loop, 2 tr in loop, 1 ch, 1 tr in 2nd ch of loop.

11th row — (1 dc, 1 ch) in first tr, 1 ch, 3 tr in 1 ch sp, * miss 2 tr, ("Tr B") twice, miss 2 tr, (3 tr, 1 ch, 3 tr) in next 3 ch sp, rep from * to last 7 sts, miss 2 tr, ("Tr B") twice, miss 2 tr, 3 tr in next 1 ch sp, 1 ch, 1 tr in top of turning ch.

12th row — 1 ch, 1 dc in 1 ch sp, * miss 3 tr, "Tr F", 1 ch, "Shell", 1 ch, "Tr F", 1 dc in next 1 ch sp, rep from * to end.

13th row — (1 dc, 1 ch) in first dc, * "Tr B", miss 2 sts, (2 tr, 3 ch, 2 tr) in next 1 ch sp, miss 2 sts, "Tr B", rep from * to last dc, 1 tr in last dc.

14th row — (1 dc, 1 ch) in first tr, * "Tr F", (3 tr, 1 ch, 3 tr) in 3 ch loop, miss 2 tr, "Tr F", rep from * to turning ch, 1 tr in top of turning ch.

15th row — (1 dc, 2 ch, 1 tr) in first tr, * 1 ch, "Tr B", 1 dc in next 1 ch sp, miss 3 tr, "Tr B", 1 ch, "Shell", rep from * to end, working last Shell in top of turning ch.

Rows 10 to 15 incl form patt. **

Cont in patt until work measures approx 13 (15-16.5-20.5) cm ... 4 (6-6½-8) ins ... from beg, ending with a 12th or 15th patt row.

Fasten off.

FRONT SKIRT. Work as for Back Skirt.

SLEEVES. Using 3.00 (No 10-11) Hook, make 28 (28-33-33) ch.

1st row — Miss 1 ch, 1 dc in each ch to end ... 27 (27-32-32) dc.

Work as for Back Skirt from ** to **.

Cont in patt until work measures approx 11 (12.5-15-18) cm ... 4½ (5-6-7) ins ... from coloured threads, ending with a 12th or 15th patt row. Fasten off.

MAKE UP. DO NOT PRESS. Using a flat seam, join raglan seams to coloured threads, then sew foundation ch of skirt and sleeves to yoke, gathering skirts slightly to fit and placing yoke opening to centre front. Join side and sleeve seams. Using 3.00 (No 10-11) Hook, work 4 rounds dc evenly around lower edge of skirt. Fasten off. Using 3.00 (No 10-11) Hook, work 29 (29-31-31) dc evenly around lower edges of sleeves. Work 3 rounds dc on these sts. Fasten off. Using 2 strands of yarn 2 m ... 2 yds ... long, make a twisted cord (see page 16) and thread through holes at neck and tie at centre front. Make 2 pom-poms 2.5 cm ... 1 in ... in diameter (see page 16), attach to ends of twisted cord.

HAT. Using 3.00 (No 10-11) Hook, make 5 ch, join with a sl st to form a ring.

1st round — 1 ch, 6 dc in ring, join with a sl st in first dc.

2nd round — 3 ch, 1 tr in first dc, (2 tr in next dc) 5 times, join with a sl st in top of 3 ch ... 12 sts.

3rd round — 3 ch, miss first st, * ("Tr F", 1 tr) in same tr, rep from * 10 times, "Tr F", join with a sl st in top of 3 ch.

4th round — 3 ch, 1 tr in first st, ("Tr F", 2 tr in next tr) 11 times, "Tr F", join with a sl st in top of 3 ch.

5th round — 3 ch, miss first st, 1 tr in next tr, ("Tr F", 1 tr in each of next 2 tr) 11 times, "Tr F", join with a sl st in top of 3 ch.

6th round — 3 ch, 1 tr in first st, 1 tr in next tr, ("Tr F", 1 tr in next tr, 2 tr in next tr) 11 times, "Tr F", join with a sl st in top of 3 ch.

7th round — 3 ch, miss first st, 1 tr in each of next 2 tr, ("Tr F", 1 tr in each of next 3 tr) 11 times, "Tr F", join with a sl st in top of 3 ch.

8th round — 3 ch, 1 tr in first st, 1 tr in each of next 2 tr, ("Tr F", 1 tr in next tr, 2 tr in next tr, 1 tr in next tr) 11 times, "Tr F", join with a sl st in top of 3 ch.

Cont inc in this manner in alt rounds until there are 84 (96-96-96) sts.

A only — Next round — 3 ch, 1 tr in first st, 1 tr in each of next 5 tr, ("Tr F", 1 tr in each of next 6 tr, "Tr F", 1 tr in each of next 3 tr, 2 tr in next tr, 1 tr in each of next 2 tr) 5 times, "Tr F", 1 tr in each of next 6 tr, "Tr F", join with a sl st in top of 3 ch ... 90 sts.

D only — Next round — 3 ch, 1 tr in first st, 1 tr in each of next 6 tr, ("Tr F", 1 tr in each of next 7 tr, "Tr F", 1 tr in each of next 3 tr, 2 tr in next tr, 1 tr in each of next 3 tr) 5 times, "Tr F", 1 tr in each of next 7 tr, "Tr F", join with a sl st in top of 3 ch ... 102 sts.

All Sizes — Work in patt.

1st round — 3 ch, 2 tr in first st, miss 2 tr, 1 tr in each of next 2 tr, miss 1 tr, * (3 tr, 1 ch, 3 tr) in next tr, miss 2 tr, 1 tr in each of next 2 tr, miss 1 tr, rep from * to end, 3 tr in same place as first st, 1 ch, join with a sl st in top of 3 ch, turn.

2nd round — 1 ch, * 1 dc in 1 ch sp, miss 3 tr, "Tr B", 1 ch, "Shell", 1 ch, "Tr B", rep from * to end, join with a sl st in first dc, turn.

3rd round — Sl st across first 4 sts, (3 ch, 1 tr, 3 ch, 2 tr) in next 1 ch sp, * miss 1 tr, ("Tr F") twice, miss 2 sts, (2 tr, 3 ch, 2 tr) in next 1 ch sp, rep from * to last 7 sts, ("Tr F") twice, join with a sl st in top of 3 ch, sl st to 3 ch loop, turn.

(continued on next page)

4th round — 3 ch, 2 tr in 3 ch loop, * miss 2 tr, ("Tr B") twice, miss 2 tr, (3 tr, 1 ch, 3 tr) in 3 ch loop, rep from * to last 6 sts, miss 2 tr, ("Tr B") twice, (3 tr, 1 ch) in same 3 ch loop as first 2 tr, join with a sl st in top of 3 ch, turn.

5th round — As 2nd round, working "Tr F", in place of "Tr B".

6th round — As 3rd round, working "Tr B" in place of "Tr F".

7th round — As 4th round, working "Tr F", in place of "Tr B".

Rep rounds 2 to 5 incl once.

Fasten off.

With wrong side facing miss 11 sts from fastening off, join yarn in next 1 ch sp and work Left Ear Flap.

1st row — 3 ch, 1 tr in same 1 ch sp, miss 1 tr, * ("Tr B") twice, miss 1 tr, (2 tr, 3 ch, 2 tr) in next 1 ch sp, miss 1 tr, rep from * once, ("Tr B") twice, miss 1 tr, 2 tr in next 1 ch sp, turn.

2nd row — (1 dc, 1 ch) in first tr, miss 1 tr, * ("Tr F") twice,

miss 2 tr, (3 tr, 1 ch, 3 tr) in 3 ch loop, miss 2 tr, rep from * once, ("Tr F") twice, 1 tr in top of 3 ch.

3rd row — Sl st to 1 ch sp, 1 ch, 1 dc in 1 ch sp, miss 3 tr, "Tr B", 1 ch, "Shell", 1 ch, "Tr B", miss 3 tr, 1 dc in 1 ch sp, turn.

4th row — (1 dc, 1 ch) in first dc, "Tr F", miss 2 sts, (2 tr, 3 ch, 2 tr) in 1 ch sp, miss 2 sts, "Tr F", 1 tr in last dc.

5th row — Sl st across first 3 sts, (1 dc, 1 ch) in next tr, (1 tr, 1 ch, 1 tr) in next 3 ch loop, miss 1 tr, 1 tr in next tr.

Fasten off.



Miss next 47 (55-55-63) sts for centre front and work Right Ear Flap as for Left Ear Flap.

MAKE UP. DO NOT PRESS. Using 3.00 (No 10-11) Hook, work 1 row dc evenly around lower edges. Fasten off. Using 2 strands of yarn 1½ m ... 1½ yds ... long for each cord, make 2 twisted cords (see below) and attach to ends of ear flaps. Make 3 pom-poms 2.5 cm ... 1 in ... in diameter (see below) and attach one to each end of cords and one to centre of crown.

Pom-Pons

To make a Pom-Pon, cut two circles of cardboard, the diameter depends on the size of the Pom-Pon to be made, and should be equal to the size of the finished Pom-Pon plus approximately ½" (1.27 cm) for trimming, plus the diameter of the centre hole, e.g., for a Pom-Pon 1½" (4 cm) across, the circles would be 1½" (4 cm), plus ½" (1.27 cm), plus ½" (1.27 cm) for centre hole, equals 2½" (6.5 cm). Cut a round hole in the centre, the size of the hole is approximately a quarter of the finished Pom-Pon. Wind the yarn round and round the cardboard until the centre hole is completely filled up.

Place the point of a pair of scissors between the two pieces of cardboard and cut around, keeping scissors between two circles of cardboard all the time. Using a double strand of yarn, wrap round between the two circles of cardboard, knot firmly, and take away cardboard (see diagram). Trim Pom-Pon.



Method requires two people. Take as many strands of yarn as required, approximately three times the length required for the finished cord. Knot each end and slip a pencil between strands. Each person holds yarn just below pencil with one hand and twists pencil clockwise with other hand, keeping yarn taut. When yarn begins to kink, catch centre over door-knob or back of chair. Bring pencils together for one person to hold, while other grasps centre of yarn, sliding hand down and releasing at short intervals, letting yarn twist. Knot ends to prevent unravelling.

Abbreviations used in Crochet

Ch = chain; **sp** = space; **sc** = single crochet; **sl st** = slip stitch; **dc** = double crochet; **yoh** = yarn over hook; **h tr** = half treble — pass yarn round hook, draw a loop through next ch, draw a loop through all 3 loops on hook; **tr** = treble — pass yarn round hook, draw a loop through next ch, draw a loop through first 2 loops on hook, then draw another loop through 2 remaining loops; **d tr** = double treble — pass yarn twice round hook, draw a loop through next ch, draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then draw another through last 2 loops; **t tr** = triple treble — pass yarn three times round hook, draw a loop through next ch, draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then draw another through last 2 loops; **cm** = centimetres; **ins** = inches.

PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits underarm.....	cm	35	40	45	50
	ins	13¾	15¾	17¾	19¾
Measures	cm	37	42	47	52
	ins	14½	16½	18½	20½
Length	cm	15	18	21	24
	ins	6	7	8¼	9½
Sleeve seam	cm	11	12.5	15	18
	ins	4¾	5	6	7
		(or length desired)			

PATONS 4 PLY FEATHERSOFT or PATONYLE

25 g balls

Quantity	2	3	3	4
----------	---	---	---	---

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; 1 Stitch Holder for **High Buttoning Cardigan**; Milward Tapestry Needle for sewing seams; 4 Small Buttons for **Medium Buttoning Cardigan**; 7 Small Buttons for **High Buttoning Cardigan**.

TENSION — 29 sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 22.

FIRST — Check your tension

MEDIUM BUTTONING CARDIGAN.

BACK. Using 2.75 (No 12) Needles, cast on 55 (63-71-79) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 4 times.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows until work measures 6.5 (9-11.5-13.5) cm ... 2½ (3½-4½-5½) ins ... from beg, ending with a purl row.

Shape raglan armholes — Cast off 4 sts at beg of next 2 rows.

Dec at each end of next 1 (3-3-3) row/s. Work 1 row.

C and D only — Rep last 4 rows (1-2) time/s.

All Sizes — Dec at each end of next and alt rows until 19 (21-23-25) sts rem.

Work 1 row. Cast off.

LEFT FRONT. Using 2.75 (No 12) Needles, cast on 27 (31-35-39) sts.

Work 10 rows rib as for Back.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows until work measures same as Back to underarm, ending with a purl row. **

Shape raglan armhole and front slope — **1st row** — Cast off 4 sts, knit to last 2 sts, sl1, K1, pssso.

2nd row — Purl.

B, C and D only — Dec at armhole edge in next 2 rows.

Dec at each end of next row.

Work 1 row.

Rep last 4 rows (0-1-2) time/s.

All Sizes — Dec at armhole edge in next and alt rows 14 times in all, AT SAME TIME dec at front edge in 4th rows from previous dec 6 times ... 2 sts.

Next row — P2, turn, K2 tog. Fasten off.

RIGHT FRONT. Work to correspond with Left Front.

SLEEVES. Using 2.75 (No 12) Needles, cast on 37 (39-41-43) sts.

Work 10 rows rib as for Back.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows once.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) in foll alt (4th-6th-6th) rows until there are 43 (51-55-53) sts, **A and D only** — then in foll 4th (8th) rows until there are 49 (57) sts.

Cont until side edge measures 11 (12.5-15-18) cm ... 4¾ (5-6-7) ins ... (or length desired) from beg, ending with a purl row.

Shape raglan — Cast off 4 sts at beg of next 2 rows.

Dec at each end of next 3 rows.

Work 1 row.

Rep last 4 rows 2 (1-1-0) time/s.

Dec at each end of next and alt rows until 7 sts rem.

Work 1 row. Cast off.

FRONT BAND. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline.

Using 2.75 (No 12) Needles, cast on 7 sts.

1st row — K2, (P1, K1) twice, K1.

2nd row — (K1, P1) 3 times, K1.

3rd row — Rib 3, yrn, P2 tog (buttonhole), rib 2.

*** **4th row** — As 2nd row.

Rep 1st and 2nd rows 3 (4-5-6) times.

Next row — As 3rd row. ***

Rep from *** to *** twice ... 4 buttonholes.

Cont without further buttonholes until band is length required to fit (slightly stretched) along fronts, across back of neck and tops of sleeves. Cast off in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join side and sleeve seams. Sew front band in position. Sew on buttons.

HIGH BUTTONING CARDIGAN.

BACK. Work as for **Medium Buttoning Cardigan**.

LEFT FRONT. Work as for **Medium Buttoning Cardigan** to **.

Shape raglan armhole — Cast off 4 sts at beg of next row.

Work 1 row.

B, C and D only — Dec at armhole edge in next 3 rows.

Work 1 row.

Rep last 4 rows (0-1-2) time/s.

All Sizes — Dec at armhole edge in next and alt rows 7 (7-6-6) times in all.

Shape front slope — Cast off 3 (4-4-5) sts at beg of next row.

Dec at each end of next and alt rows 4 (4-5-5) times in all, then at armhole edge only until 2 sts rem.

Next row — P2, turn, K2 tog.

Fasten off.

RIGHT FRONT. Work to correspond with Left Front.

SLEEVES. Work as for **Medium Buttoning Cardigan**.

LEFT FRONT BAND. Using 2.75 (No 12) Needles, cast on 7 sts.

1st row — K2, (P1, K1) twice, K1.

2nd row — K1, (P1, K1) 3 times. ***

Rep 1st and 2nd rows 28 (33-40-46) times.

Break off yarn and leave sts on stitch-holder.

RIGHT FRONT BAND. Work as for Left Front Band to ***.

Rep 1st and 2nd rows once.

5th row — Rib 3, yrn, P2 tog (buttonhole), rib 2.

**** **6th row** — As 2nd row.

Rep 1st and 2nd rows 4 (5-6-7) times.

Next row — As 5th row. ****

Rep from **** to **** 5 times ... 6 buttonholes.

Work 4 (6-8-10) rows rib.

Leave these sts on needle, do not break off yarn.

NECKBAND. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. Sew front bands in position. With right side facing and using 2.75 (No 12) Needle holding front band sts, knit up 65 (71-77-81) sts evenly around neck, then work in rib across left front band sts ... 77 (85-89-91) sts.

1st row — K1, * P1, K1, rep from * to end.

Work 8 rows rib, working a buttonhole (as before) in 9th (11th-13th-15th) row from previous buttonhole.

Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join side and sleeve seams. Sew on buttons.



PATONS 4 ply feathersoft

The baby story in 100% Bri-Nylon for easy caring long wearing hand knits in modern and traditional shades.

PATONS **patonyle**

Patons answer to baby and sock knitting. An 80% wool 20% nylon patonised yarn that is machine washable and comes in tweed and pastel colours.



PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits underarm.....	cm	35	40	45	50
	ins	13¾	15¾	17¾	19¾
Measures	cm	37	42	47	52
	ins	14½	16½	18½	20½
Length	cm	16	19	21	23
	ins	6¼	7½	8¼	9
Sleeve seam	cm	11	12.5	15	18
	ins	4¾	5	6	7
		(or length desired)			

PATONS 4 PLY FEATHERSOFT or PATONYLE

25 g balls

Quantity	2	3	3	3
----------	---	---	---	---

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; 2 Stitch Holders; A Cable Needle; Milward Tapestry Needle for sewing seams; 3 Small Buttons.

TENSION — 29 sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 22.

FIRST — Check your tension

BACK. Using 2.75 (No 12) Needles, cast on 55 (63-71-77) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 4 (5-6-7) times. **

Change 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows 9 (12-12-15) times.

Shape raglan armholes — *** Cast off 2 sts at beg of next 2 rows.

3rd row — K2 tog, work to last 2 sts, sl1, K1, pssso.

A only — Work 3 rows.

Rep last 4 rows once.

B only — 4th row — Work to end.

Rep 3rd and 4th rows 4 times.

C and D only — 4th row — P2 tog tbl, work to last 2 sts, P2 tog.

5th row — As 3rd row.

6th row — Work to end.

Rep rows 3 to 6 incl twice, **D only** — then 3rd and 4th rows once.

All Sizes ... 47 (49-49-51) sts. ***

Divide for back opening — 1st row — K2 tog, K24 (25-25-26), turn.

Cont on these 25 (26-26-27) sts.

2nd row — K5, purl to end.

3rd row — K2 tog, knit to end.

Rep 2nd and 3rd rows 3 times, then 2nd row once.

11th row — K2 tog, knit to last 3 sts, y fwd, K2 tog (buttonhole), K1.

Rep rows 2 to 11 incl once, then 2nd and 3rd rows twice.

Next row — K5, purl to end.

Leave sts on a stitch-holder.

Join yarn to rem sts, cast on 5 sts for underlap and work other side to correspond, omitting buttonholes.

FRONT. Work as for Back to **.

Change to 3.25 (No 10) Needles.

1st row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K20, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

2nd and alt rows — P10 (14-18-21), K1, (P1, K1) twice, K3, P19, K3, (K1, P1) twice, K1, P10 (14-18-21).

3rd row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K8, slip next st on to cable needle, hold at front of work, K2, then knit st from cable needle, K9, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

5th row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K7, K2 tog, y fwd, K1, y fwd, sl1, K1, pssso, K8, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

7th row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K6, K2 tog, y fwd, K3, y fwd, sl1, K1, pssso, K7, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

9th row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K5, K2 tog, y fwd, K5, y fwd, sl1, K1, pssso, K6, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

11th row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K4, K2 tog, y fwd, K7, y fwd, sl1, K1, pssso, K5, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

13th row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K3, K2 tog, y fwd, K9, y fwd, sl1, K1, pssso, K4, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

15th row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K3, y fwd, sl1, K1, pssso, K2, K2 tog, y fwd, K4, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

(continued on next page)

17th row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K4, y fwd, sl1, K1, psso, K2 tog, y fwd, K3, y fwd, sl1, K1, psso, K2 tog, y fwd, K5, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

19th row — K10 (14-18-21), (K1, P1) twice, K2, y fwd, K2 tog, K5, y fwd, sl1, K1, psso, K5, K2 tog, y fwd, K6, y fwd, K2 tog, (K1, P1) twice, K11 (15-19-22).

20th row — As 2nd row.

Rows 1 to 20 incl form patt.

Work 0 (6-6-12) rows in patt.

Keeping patt correct, **shape raglan armholes** — Work as from *** to *** for Back.

Dec at each end of next and alt rows until 37 (39-39-43) sts rem. Work 1 row.

Shape neck — **Next row** — K2 tog, patt 11 (12-12-13), turn.

Cont on these 12 (13-13-14) sts, dec at armhole edge in all rows 7 (7-7-8) times, AT SAME TIME dec at neck edge in alt rows 3 (4-4-4) times ... 2 sts.

Next row — P2, turn, K2 tog.

Fasten off.

Slip next 11 (11-11-13) sts on to stitch-holder and leave.

Join yarn to rem sts and work other side to correspond.

SLEEVES. Using 2.75 (No 12) Needles, cast on 37 (39-41-43) sts.

Work 10 rows rib as for Back.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows once.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) in foll 4th (4th-4th-6th) rows until there are 49 (49-47-51) sts, **B, C and D only** — then in foll (6th-6th-8th) rows until there are (51-55-57) sts.

Cont until side edge measures 11 (12.5-15-18) cm ... 4% (5-6-7) ins ... (or length desired) from beg, ending with a purl row.

Shape raglan — Cast off 2 sts at beg of next 2 rows.

3rd row — K2 tog, knit to last 2 sts, sl1, K1, psso.

4th row — P2 tog tbl, purl to last 2 sts, P2 tog.

5th row — As 3rd row.

6th row — Purl.

Rep rows 3 to 6 incl once.

Dec at each end of next and alt rows until 7 (7-9-9) sts rem.

Work 1 row.

Cast off.

NECKBAND. Using back-stitch, join raglan seams, noting that tops of sleeves form part of neckline. With right side facing and using 2.75 (No 12) Needles, knit up 71 (73-77-81) sts evenly around neck, incl sts from stitch-holders.

1st row — K5, * P1, K1, rep from * to last 4 sts, K4.

2nd row — K6, * P1, K1, rep from * to last 5 sts, K5.

Rep 1st and 2nd rows twice, working a buttonhole (as before) in 2nd row. Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join side and sleeve seams. Sew underlap in position. Sew on buttons.

10

Jumper

(BACK COVER)

PATONS 4 PLY FEATHERSOFT or PATONYLE

THIS IS IMPORTANT! This design has been developed and tested using **ONLY** the **PATONS YARN** recommended. Should a substitute yarn be used, unsatisfactory results may occur.

We strongly suggest your valuable time and money deserves the **PATONS YARN** recommended here!

		A	B	C	D
Fits underarm.....	cm	35	40	45	50
	ins	13¾	15¾	17¾	19¾
Measures	cm	37	42	47	52
	ins	14½	16½	18½	20½
Length	cm	16	18	21	24
	ins	6¼	7	8¼	9½
Sleeve seam	cm	11	12.5	15	18
	ins	4¾	5	6	7
		(or length desired)			

PATONS 4 PLY FEATHERSOFT or PATONYLE

25 g balls

	A	B	C	D
Quantity	2	3	3	4

The quantities of yarn stated are based on average requirements and are therefore approximate.

1 pair each 3.25 (No 10) and 2.75 (No 12) Milward or Patons Beehive Knitting Needles; 3 Stitch Holders; 3 Small Buttons; Milward Tapestry Needle for sewing seams.

TENSION — 29 sts to 10 cm (approx 4 ins) in width over stocking st.

ABBREVIATIONS — See page 22.

FIRST — Check your tension

BACK. Using 2.75 (No 12) Needles, cast on 55 (63-71-79) sts.

1st row — K2, * P1, K1, rep from * to last st, K1.

2nd row — K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 5 times. **

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows until work measures 7.5 (9-11.5-13.5) cm ... 3 (3½-4½-5½) ins ... from beg, ending with a purl row.

Shape raglan armholes — Cast off 3 sts at beg of next 2 rows.

3rd row — K1, sl1, K1, pssso, y fwd, sl1, K1, pssso, knit to last 5 sts, K2 tog, y fwd, K2 tog, K1.

4th row — K1, P2, P2 tog, purl to last 5 sts, P2 tog tbl, P2, K1.

B, C and D only — **5th row** — As 3rd row.

6th row — K1, purl to last st, K1.

Rep rows 3 to 6 incl (0-1-2) time/s, then 3rd and 4th rows once.

All Sizes ... 45 (47-49-51) sts.

Divide for back opening — **1st row** — K1, sl1, K1, pssso, y fwd, sl1, K1, pssso, K20 (21-22-23), turn.

2nd row — K5, purl to last st, K1.

3rd row — K1, sl1, K1, pssso, y fwd, sl1, K1, pssso, knit to end.

Rep 2nd and 3rd rows 3 times, then 2nd row once.

11th row — K1, sl1, K1, pssso, y fwd, sl1, K1, pssso, knit to last 3 sts, y fwd, K2 tog (buttonhole), K1.

Cont dec at armhole edge (as before) in alt rows until 12 (13-14-15) sts rem, AT SAME TIME working a buttonhole (as before) in 10th row from previous buttonhole.

Work 1 row. Leave rem sts on a stitch-holder.

Join yarn to rem sts, cast on 5 sts for underlap and work other side to correspond, omitting buttonholes.

FRONT. Work as for Back to **.

Change to 3.25 (No 10) Needles.

1st row — K27 (31-35-39), y fwd, sl1, K1, pssso, knit to end.

2nd and alt rows — Purl.

3rd row — K25 (29-33-37), K2 tog, y fwd, K1, y fwd, sl1, K1, pssso, knit to end.

5th row — K24 (28-32-36), K2 tog, y fwd, K3, y fwd, sl1, K1, pssso, knit to end.

7th row — K23 (27-31-35), K2 tog, y fwd, K5, y fwd, sl1, K1, pssso, knit to end.

9th row — K22 (26-30-34), K2 tog, y fwd, K7, y fwd, sl1, K1, pssso, knit to end.

11th row — K24 (28-32-36), y fwd, sl1, K1, pssso, K3, K2 tog, y fwd, knit to end.

13th row — K25 (29-33-37), y fwd, sl1, K1, pssso, K1, K2 tog, y fwd, knit to end.

15th row — K26 (30-34-38), y fwd, sl1, K2 tog, pssso, y fwd, knit to end.

16th row — Purl.

Rep rows 1 to 16 incl until work measures same as Back to underarm, ending with a purl row.

Keeping patt correct, **shape raglan armholes** — Cast off 3 sts at beg of next 2 rows.

3rd row — K1, sl1, K1, pssso, y fwd, sl1, K1, pssso, patt to last 5 sts, K2 tog, y fwd, K2 tog, K1.

4th row — K1, P2, P2 tog, purl to last 5 sts, P2 tog tbl, P2, K1.

B, C and D only — **5th row** — As 3rd row.

6th row — K1, purl to last st, K1.

Rep rows 3 to 6 incl (0-1-2) time/s, then 3rd and 4th rows once.

All Sizes — Dec (as before) at each end of next and alt rows until 35 (37-41-43) sts rem.

Work 1 row.

Divide for neck — **1st row** — K1, sl1, K1, pssso, y fwd, sl1, K1, pssso, K9 (9-11-11), turn.

Cont on these 13 (13-15-15) sts.

2nd row — Purl to last st, K1.

3rd row — K1, sl1, K1, pssso, y fwd, sl1, K1, pssso, knit to last 2 sts, sl1, K1, pssso.

Rep 2nd and 3rd rows 3 (3-4-4) times, then 2nd row once.

Dec (as before) at beg of next row ... 4 sts.

1st row — P3, K1.

2nd row — K1, sl1, K1, pssso, K1.

3rd row — P2, K1.

4th row — K1, sl1, K1, pssso.

5th row — P1, K1, turn, K2 tog.

Fasten off.

Slip next 7 (9-9-11) sts on to a stitch-holder and leave.

Join yarn to rem sts and work other side to correspond.

SLEEVES. Using 2.75 (No 12) Needles, cast on 37 (39-41-43) sts.

Work 12 rows rib as for Back.

Change to 3.25 (No 10) Needles.

1st row — Knit.

2nd row — Purl.

Rep 1st and 2nd rows once.

5th row — K2, "M1", knit to last 2 sts, "M1", K2.

Inc (as before) in alt (4th-4th-6th) rows until there are 43 (51-51-53) sts, **A, C and D only** — then in foll 4th (6th-8th) rows until there are 49 (55-57) sts.

Cont until side edge measures 11 (12.5-15-18) cm ... 4½ (5-6-7) ins ... (or length desired) from beg, ending with a purl row.

Shape raglan — Cast off 3 sts at beg of next 2 rows.

3rd row — K1, sl1, K1, pssso, y fwd, sl1, K1, pssso, knit to last 5 sts, K2 tog, y fwd, K2 tog, K1.

4th row — K1, P2, P2 tog, purl to last 5 sts, P2 tog tbl, P2, K1.

5th row — As 3rd row.

6th row — K1, purl to last st, K1.

Rep rows 3 to 6 incl 3 (2-2-1) time/s.

Dec (as before) in next and alt rows until 7 sts rem.

Work 1 row. Cast off.

NECKBAND. Using a flat seam, join raglan seams, noting that tops of sleeves form part of neckline. With right side facing and using 2.75 (No 12) Needles, knit up 73 (77-83-87) sts evenly around neck, incl sts from stitch-holders.

1st row — K5, * P1, K1, rep from * to last 4 sts, K4.

2nd row — K6, * P1, K1, rep from * to last 5 sts, K5.

Rep 1st and 2nd rows twice, then 1st row once, working a buttonhole (as before) in 2nd row.


Cast off loosely in rib.

MAKE UP. DO NOT PRESS. Using back-stitch, join side and sleeve seams. Sew underlap in position. Sew on buttons.


Sewing of Front Bands to Cardigans

Medium Buttoning

To obtain correct length of band required, sew raglan or shoulder seams as stated in instructions. Place a pin at centre back neck of garment. Lay cardigan flat on table and pin fronts to back at raglan or shoulder seams. Pin fronts to back of cardigan along front edges, taking care that lower bands and front shapings match exactly. All rows of knitting should be horizontal across garment, thus any stripes or patterns will match exactly.



Knit about $\frac{3}{4}$ of length of band required. Place band to cardigan (garment laid flat) matching row for row on lower bands and noting that first row of knitting is right side of band unless otherwise stated. Pin buttonhole section to right front (left for man) noting that top buttonhole should come level with or a little below first shaping. Pin band up to raglan or shoulder seam.




Take pins from raglan or shoulder seam and pin band around to centre back. Band across back neck should be firm enough to prevent back of garment stretching when worn. Mark centre back of band and point of

band opposite first shaping. Unpin band from garment and knit band length required, measuring second half by folding at centre back pin. Mark point to match to first shaping on other front.

Pin front band to lower bands, matching row for row. Pin bands to fronts up to first shaping. Pin at back neck, then remainder to front slopes. Lift garment from table and remove pins attaching fronts to back.

Re-pin band so that right side of band is facing right side of garment, taking out and replacing each pin separately.

Back-stitch band to cardigan. Care should be taken that lower edge of garment forms a straight edge and that there is not an indentation at band seam. One stitch should be taken from band and cardigan to form seam.



High Buttoning

Knit bands as instructions. Sew raglan or shoulder seams as stated in instructions. Pin front bands to lower bands of cardigan, matching row for row.

Lay cardigan flat on table and pin fronts to back at raglan or shoulder seams. Pin fronts to back along front edges, taking care that lower bands and neck edges match exactly. All rows of knitting should be horizontal across garment, thus any stripes or patterns will match exactly.

Mark fronts in quarters with pins by measuring (from top of lower bands) with tape measure. Mark front bands in quarters (from top of lower bands).

Pin bands to cardigan, watching that all lines of knitting remain horizontal. Turn bands so that right side of band is to right side of garment and re-pin, taking out and replacing each pin separately. Complete as given from **to** for Medium Buttoning.

Abbreviations (Knitting)

K = Knit; **P** = Purl; **sl** = slip; **psso** = pass slipped stitch(es) over; **tbl** = through back of loops; **y bk** = yarn back — take yarn under needle from purling position into knitting position; **y ft** = yarn front — bring yarn under needle from knitting position into purling position; **y fwd** = yarn forward — bring yarn under needle, then over into knitting position again, thus making a stitch; **y on** = yarn over needle — take yarn over top of needle into knitting position, thus making a stitch; **yrn** = yarn round needle — take yarn right around needle into purling position, thus making a stitch; **"M1"** = Make 1 — pick up loop which lies before next stitch, place on left-hand needle and knit (or purl) into back of loop; **alt** = alternate; **beg** = begin or beginning; **cont** = continue; **dec** = decreases of decreasing; **fol** = following or follows; **inc** = increase, increases or increasing; **incl** = inclusive or including; **0** = no stitches, rows or times; **patt** = pattern; **rem** = remain, remains or remaining; **rep** = repeat; **st**, **sts** = stitch, stitches; **tog** = together; **cm** = centimetre/s; **ins** = inches; **Garment st** = every row knit; **Stocking st** = 1 row knit, 1 row purl; **Purl fabric** = 1 row, purl, 1 row knit (purl side is right side).

The first row is always the right side of the work unless otherwise stated.

When instructions read — "Cast off 2 sts, K2" (or similar stitches), the stitch left on the right-hand needle, after casting off, is counted as one stitch.

Yarn colours illustrated on the Covers have been reproduced as accurately as the printing process permits.

Published by COATS PATONS (AUSTRALIA) LIMITED, P.O. Box 110, Mt. Waverley, Victoria, 3149



5



6



7



8



PATONS

4 ply feathersoft
patonyle 10 designs

445
PRICE
CODE E

